

# Last Class

- Leader election
- Distributed mutual exclusion



# Transactions

- Transactions provide higher level mechanism for *atomicity* of processing in distributed systems
  - Have their origins in databases
- Banking example: Three accounts A:\$100, B:\$200, C:\$300
  - Client 1: transfer \$4 from A to B
  - Client 2: transfer \$3 from C to B
- Result can be inconsistent unless certain properties are imposed on the accesses

| Client 1      | Client 2      |
|---------------|---------------|
| Read A: \$100 |               |
| Write A: \$96 |               |
|               | Read C: \$300 |
|               | Write C:\$297 |
| Read B: \$200 |               |
|               | Read B: \$200 |
|               | Write B:\$203 |
| Write B:\$204 |               |



# ACID Properties

- *Atomic*: all or nothing
- *Consistent*: transaction takes system from one consistent state to another
- *Isolated*: Immediate effects are not visible to other (serializable)
- *Durable*: Changes are permanent once transaction completes (commits)

| Client 1      | Client 2      |
|---------------|---------------|
| Read A: \$100 |               |
| Write A: \$96 |               |
| Read B: \$200 |               |
| Write B:\$204 |               |
|               | Read C: \$300 |
|               | Write C:\$297 |
|               | Read B: \$204 |
|               | Write B:\$207 |



# Transaction Primitives

| Primitive         | Description                                     |
|-------------------|-------------------------------------------------|
| BEGIN_TRANSACTION | Make the start of a transaction                 |
| END_TRANSACTION   | Terminate the transaction and try to commit     |
| ABORT_TRANSACTION | Kill the transaction and restore the old values |
| READ              | Read data from a file, a table, or otherwise    |
| WRITE             | Write data to a file, a table, or otherwise     |

Example: airline reservation

Begin\_transaction


```

if(reserve(NY,Paris)==full) Abort_transaction
if(reserve(Paris,Athens)==full)Abort_transaction
if(reserve(Athens,Delhi)==full) Abort_transaction
    
```

End\_transaction




# Distributed Transactions



## Implementation: Private Workspace

- Each transaction get copies of all files, objects
- Can optimize for reads by not making copies
- Can optimize for writes by copying only what is required
- Commit requires making local workspace global



# Option 2: Write-ahead Logs

- *In-place updates*: transaction makes changes *directly* to all files/objects
- *Write-ahead log*: prior to making change, transaction writes to log on *stable storage*
  - Transaction ID, block number, original value, new value
- Force logs on commit
- If abort, read log records and undo changes [*rollback*]
- Log can be used to rerun transaction after failure
  
- Both workspaces and logs work for distributed transactions
- Commit needs to be *atomic* [will return to this issue in Ch. 7]



# Writeahead Log Example

|                    |             |             |             |
|--------------------|-------------|-------------|-------------|
| x = 0;             | Log         | Log         | Log         |
| y = 0;             |             |             |             |
| BEGIN_TRANSACTION; |             |             |             |
| x = x + 1;         | [x = 0 / 1] | [x = 0 / 1] | [x = 0 / 1] |
| y = y + 2          |             | [y = 0/2]   | [y = 0/2]   |
| x = y * y;         |             |             | [x = 1/4]   |
| END_TRANSACTION;   |             |             |             |
| (a)                | (b)         | (c)         | (d)         |

- a) A transaction
- b) – d) The log before each statement is executed




# Concurrency Control

- Goal: Allow several transactions to be executing simultaneously such that
  - Collection of manipulated data item is left in a consistent state
- Achieve consistency by ensuring data items are accessed in an specific order
  - Final result should be same as if each transaction ran sequentially
- Concurrency control can implemented in a *layered* fashion




## Concurrency Control Implementation



- General organization of managers for handling transactions.



# Distributed Concurrency Control



- General organization of managers for handling distributed transactions.



# Serializability

```
BEGIN_TRANSACTION
x = 0;
x = x + 1;
END_TRANSACTION
```

(a)

```
BEGIN_TRANSACTION
x = 0;
x = x + 2;
END_TRANSACTION
```

(b)

```
BEGIN_TRANSACTION
x = 0;
x = x + 3;
END_TRANSACTION
```

(c)

|            |                                                         |         |
|------------|---------------------------------------------------------|---------|
| Schedule 1 | $x = 0; x = x + 1; x = 0; x = x + 2; x = 0; x = x + 3$  | Legal   |
| Schedule 2 | $x = 0; x = 0; x = x + 1; x = x + 2; x = 0; x = x + 3;$ | Legal   |
| Schedule 3 | $x = 0; x = 0; x = x + 1; x = 0; x = x + 2; x = x + 3;$ | Illegal |

- **Key idea:** properly schedule conflicting operations
- Conflict possible if at least one operation is write
  - Read-write conflict
  - Write-write conflict



# Optimistic Concurrency Control

- Transaction does what it wants and *validates* changes prior to commit
  - Check if files/objects have been changed by committed transactions since they were opened
  - Insight: conflicts are rare, so works well most of the time
- Works well with private workspaces
- Advantage:
  - Deadlock free
  - Maximum parallelism
- Disadvantage:
  - Rerun transaction if aborts
  - Probability of conflict rises substantially at high loads
- Not used widely




# Two-phase Locking

- Widely used concurrency control technique
- Scheduler acquires all necessary locks in growing phase, releases locks in shrinking phase
  - Check if operation on *data item x* conflicts with existing locks
    - If so, delay transaction. If not, grant a lock on *x*
  - Never release a lock until data manager finishes operation on *x*
  - Once a lock is released, no further locks can be granted
- Problem: deadlock possible
  - Example: acquiring two locks in different order
- Distributed 2PL versus centralized 2PL




# Two-Phase Locking



- Two-phase locking.



# Strict Two-Phase Locking



- Strict two-phase locking.





# Timestamp-based Concurrency Control

- Each transaction  $T_i$  is given timestamp  $ts(T_i)$
- If  $T_i$  wants to do an operation that conflicts with  $T_j$ 
  - Abort  $T_i$  if  $ts(T_i) < ts(T_j)$
- When a transaction aborts, it must restart with a new (larger) time stamp
- Two values for each data item  $x$ 
  - $Max-rts(x)$ : max time stamp of a transaction that read  $x$
  - $Max-wts(x)$ : max time stamp of a transaction that wrote  $x$



## Reads and Writes using Timestamps

- $Read_i(x)$ 
  - If  $ts(T_i) < max-wts(x)$  then Abort  $T_i$
  - Else
    - Perform  $R_i(x)$
    - $Max-rts(x) = \max(max-rts(x), ts(T_i))$
- $Write_i(x)$ 
  - If  $ts(T_i) < max-rts(x)$  or  $ts(T_i) < max-wts(x)$  then Abort  $T_i$
  - Else
    - Perform  $W_i(x)$
    - $Max-wts(x) = ts(T_i)$



# Pessimistic Timestamp Ordering

